EKG 12 LEAD - Final result (08/28/2026 2:29 PM PDT)

Component	Value	Ref Range	Test Method	Analysis Time	Performed At	Pathologist Signature
Ventricular Rate	80	BPM			UWM EKG	
Atrial Rate	80	BPM			UWM EKG	
P-R Interval	150	ms			UWM EKG	
QRS Duration	72	ms			UWM EKG	
Q-T Interval	410	ms			UWM EKG	
QTC Calculation	472	ms			UWM EKG	
P Axis	35	degrees			UWM EKG	
R Axis	-14	degrees			UWM EKG	
T Axis	13	degrees			UWM EKG	

Specimen (Source)	Anatomical Location / Laterality	Collection Method / Volume	Collection Time	Received Time
			08/28/2026 2:29 PM PDT	08/31/2026 2:55 PM PDT

Narrative

```
UWM EKG - 08/31/2026 2:56 PM PDT
This result has an attachment that is not available.
NORMAL SINUS RHYTHM
POSSIBLE LEFT ATRIAL ENLARGEMENT
LOW VOLTAGE QRS IN PRECORDIAL LEADS
NONSPECIFIC T WAVE ABNORMALITY
PROLONGED QT
ABNORMAL ECG
WHEN COMPARED WITH ECG OF 28-Aug-2026 14:28,
NO SIGNIFICANT CHANGE WAS FOUND
Confirmed by Levy, Wayne (1017) on 8/31/2026 2:55:57 PM
```

Procedure Note

Wayne C Levy - 08/31/2026

Formatting of this note might be different from the original.

NORMAL SINUS RHYTHM
POSSIBLE LEFT ATRIAL ENLARGEMENT
LOW VOLTAGE QRS IN PRECORDIAL LEADS
NONSPECIFIC T WAVE ABNORMALITY
PROLONGED QT
ABNORMAL ECG
WHEN COMPARED WITH ECG OF 28-Aug-2026 14:28,
NO SIGNIFICANT CHANGE WAS FOUND
Confirmed by Levy, Wayne (1017) on 8/31/2026 2:55:57 PM

Authorizing Provider	Result Type	Result Status
Lynn Symonds	ECG ORDERABLES	Final Result

Performing Organization	Address	City/State/ZIP Code	Phone Number
UWM EKG			

(ABNORMAL) CBC, ABS NEUTROPHIL - Final result (08/28/2026 1:35 PM PDT)

Component	Value	Ref Range	Test Method	Analysis Time	Performed At	Pathologist Signature
WBC	**2.77 (L)**	4.3 - 10.0 10*3/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	

Component	Value	Ref Range	Test Method	Analysis Time	Performed At	Pathologist Signature
RBC	3.93	3.80 - 5.00 10*6/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Hemoglobin	11.8	11.5 - 15.5 g/dL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Hematocrit	36	36.0 - 45.0 %		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
MCV	91	81 - 98 fL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
MCH	30.0	27.3 - 33.6 pg		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
MCHC	32.9	32.2 - 36.5 g/dL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Platelet Count	213	150 - 400 10*3/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
RDW-CV	13.4	11.0 - 14.5 %		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Neutrophils	**1.15 (L)**	1.80 - 7.00 10*3/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Immature Granulocytes	0.01	0.00 - 0.05 10*3/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Absolute Neutrophil Comment	Comment not required			08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
Nucleated RBC	0.00	0.00 10*3/uL		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	
% Nucleated RBC	0	%		08/28/2026 1:47 PM PDT	FHCC Clinical Laboratories	

Specimen (Source)	Anatomical Location / Laterality	Collection Method / Volume	Collection Time	Received Time
Blood			08/28/2026 1:35 PM PDT	

Narrative

This result has an attachment that is not available.

Authorizing Provider	Result Type	Result Status
Lynn Symonds	LAB BLOOD ORDERABLES	Final Result

Performing Organization	Address	City/State/ZIP Code	Phone Number
FHCC CLINICAL LABORATORIES	825 EASTLAKE AVE E	SEATTLE, WA 98109-4405, USA	206-606-1088
FHCC Clinical Laboratories	825 Eastlake Ave E	Seattle, WA 98109-4405	

(ABNORMAL) COMPREHENSIVE METABOLIC PANEL - Final result (08/28/2026 1:35 PM PDT)

Component	Value	Ref Range	Test Method	Analysis Time	Performed At	Pathologist Signature
Sodium	138	136 - 145 meq/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Potassium	3.9	3.5 - 5.1 meq/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Chloride	100	98 - 107 meq/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Carbon Dioxide, Total	27	22 - 29 meq/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Anion Gap	11	7 - 15		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Glucose	95	62 - 125 mg/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Urea Nitrogen	12	6 - 20 mg/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Creatinine	0.63	0.50 - 1.00 mg/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Total Protein (Roche)	7.3	6.4 - 8.3 g/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Albumin	4.7	3.9 - 5.2 g/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Total Bilirubin (Roche)	0.6	0.0 - 1.1 mg/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Calcium	9.2	8.8 - 10.2 mg/dL		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
AST (Roche)	22	0 - 35 U/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
Alkaline Phosphatase (Total)	**133 (H)**	35 - 104 U/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
ALT (Roche)	13	0 - 43 U/L		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	
eGFR by CKD-EPI 2021	>60	>59 mL/min/1.73_m2		08/28/2026 2:23 PM PDT	FHCC Clinical Laboratories	

Specimen (Source)	Anatomical Location / Laterality	Collection Method / Volume	Collection Time	Received Time
Blood			08/28/2026 1:35 PM PDT	

Narrative

This result has an attachment that is not available.

Authorizing Provider	Result Type	Result Status
Lynn Symonds	LAB BLOOD ORDERABLES	Final Result